Silt Fence With Welded Wire







Wire Back Silt Fence:

- 1. Can hold more silt before it needs to be cleaned
- 2. Can double as a safety fence around a job site
- 3. Silt control at construction sites
- 4. Required in some jurisdictions
- 5. Mount on t-post around perimeter
- 6. Easily attached to existing wire site fences

Silt Fence With Welded Wire

Item#	Roll Size	Welded Wire	Fabric	Fabric Size
WBSF001	24"X100'	14AWGX2"X4"	70G	36"X100'
WBSF002	24"X100'	14AWGX2"X4"	100G	36"X100'
WBSF003	36"X100'	14AWGX2"X4"	100G	48"X100'
WBSF004	24"X100'	14AWGX4"X4"	70G	36"X100'
WBSF005	24"X100'	14AWGX4"X4"	100G	36"X100'
WBSF006	36"X100'	14AWGX4"X4"	100G	42"X100'
WBSF007	24"X100'	12.5AWGX2"X4"	100G	36"X100'
WBSF008	36"X100'	12.5AWGX2"X4"	100G	48"X100'
WBSF009	30"X300'	12.5AWGX6"X6"	100G	36"X100'





Vads SHENZHOU ANDESEN WIRE FENCING CO., LTD.

Silt Fence With Field Wire/Super Silt Fence







Super Silt Fence			
11	-1/2Gaugex42"x50' Chain Link Fence		
	48"x50'/300' Black Silt Fence		
	2.5"x6' Galvanized Fence Post		
	Hog Rings		
	Aluminium Tie Wire		

Wire Back Silt Fence:

- Can hold more silt before it needs. to be cleaned
- 2. Can double as a safety fence around a job site
- 3. Silt control at construction sites
- 4. Required in some jurisdictions
- 5. Mount on t-post around perimeter
- 6. Easily attached to existing wire site fences

Silt Fence With Field Wire

Item#	Field Wire	Fabric	Fabric Size
WBSF001	14.5AWGX32"X110"	70G	3'X110'
WBSF002	12.5AWGX32"X110"	70G	3'X110'
WBSF003	14.5AWGX32"X330"	70G	3'X330'
WBSF004	12.5AWGX32"X330"	100G	3'X330'

Note: Vertical Wire Pitch:12"Line Wire No.:6 pcs or 8pcs In addition to 32" height, there are 39" and 47" height, and line wire qty will be 9pcs Some customer like to get the wire with BWG.



Vads SHENZHOU ANDESEN WIRE FENCING CO., LTD.

:+86-15630100677 : www.adswiremesh.com : info@adswiremesh.com





Non-Woven Silt Fence With Welded Wire







Wire Back Silt Fence:

- 1. Can hold more silt before it needs to be cleaned
- 2. Can double as a safety fence around a job site
- 3. Silt control at construction sites
- 4. Required in some jurisdictions
- 5. Mount on t-post around perimeter
- 6. Easily attached to existing wire site fences

Non-Woven Silt Fence With Welded Wire

Item#	Roll Size	Welded Wire	Fabric	Fabric Size
WBSF001	24"X100'	12.5GaugeX2"X4"	170G	36"X100'
WBSF002	24"X100'	14GaugeX2"X4"	135G	36"X100'
WBSF003	24"X100'	1.95MMX2"X4"	210G	36"X100'
WBSF004	24"X100'	2.4MMX2"X4"	200G	36"X100'





abla ads SHENZHOU ANDESEN WIRE FENCING CO., LTD.

:+86-15630100677 : www.adswiremesh.com : info@adswiremesh.com

